

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	25	(transmitter sensor) near6 (attribute parameter setting value status) with table near6 (output action response) and (station master supervis\$4) and (network\$4 near (packet application) router switch\$4) and (@ad<"20030626" @rlad<"20030626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 20:16
L4	25	(transmitter sensor) near6 (attribute parameter setting value status) with table near6 (output action response) and (station master supervis\$4) and (network\$4 near (packet application) router switch\$4 ethernet) and (@ad<"20030626" @rlad<"20030626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 20:16
L5	23	(transmitter sensor) near6 (attribute parameter setting value status) with table near6 (output action response) and (station master supervis\$4) and (network\$4 near (packet application) router switch\$2 ethernet) and (@ad<"20030626" @rlad<"20030626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 20:18
L6	23	(transmitter sensor) near6 (attribute parameter setting value status) with table near6 (output action response) and (station master supervis\$4) and (network\$4 near (packet application domain) router switch\$2 ethernet) and (@ad<"20030626" @rlad<"20030626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 20:19
L7	5	(transmitter sensor) near6 (attribute parameter setting value status) with table near6 (output action response) and (station master supervis\$4) same (network\$4 near (packet application domain) router switch\$2 ethernet) and (@ad<"20030626" @rlad<"20030626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 20:25
L8	32	(transmitter sensor) near6 (attribute parameter setting value status) with table near6 (output action response) same (network\$4 near (packet application domain) router switch\$2 ethernet) and (@ad<"20030626" @rlad<"20030626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 20:26

## EAST Search History

L9	0	(transmitter sensor) near6 (attribute parameter setting value status) with table near6 (output action response) same (network\$4 near (packet application domain) router ethernet) and (@ad<"20030626" @rlad<"20030626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 20:27
L10	37	(transmitter sensor) near6 (attribute parameter setting value status) with table near6 (output action response) and (network\$4 near (packet application domain) router ethernet) and (@ad<"20030626" @rlad<"20030626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 20:26
L11	1	(transmitter sensor) near6 table near6 (output action response) same (network\$4 near (packet application domain) router ethernet) and (@ad<"20030626" @rlad<"20030626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 20:27
L13	11	"340"/\$ and (transmitter sensor) near6 (attribute parameter setting value status) near6 table near6 (output action response) and (network ethernet packet) and (@ad<"20030626" @rlad<"20030626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 21:19
L14	8	"700"/\$ and (transmitter sensor) near6 (attribute parameter setting value status) near6 table near6 (output action response) and (network ethernet packet) and (@ad<"20030626" @rlad<"20030626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 21:16
L15	9	"702"/\$ and (transmitter sensor) near6 (attribute parameter setting value status) near6 table near6 (output action response) and (network ethernet packet) and (@ad<"20030626" @rlad<"20030626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 21:17
L16	0	"706"/\$ and (transmitter sensor) near6 (attribute parameter setting value status) near6 table near6 (output action response) and (network ethernet packet) and (@ad<"20030626" @rlad<"20030626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 21:10

## EAST Search History

L17	0	"707"/\$ and (transmitter sensor) near6 (attribute parameter setting value status) near6 table near6 (output action response) and (network ethernet packet) and (@ad<"20030626" @rlad<"20030626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 21:10
L18	1	"709"/\$ and (transmitter sensor) near6 (attribute parameter setting value status) near6 table near6 (output action response) and (network ethernet packet) and (@ad<"20030626" @rlad<"20030626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 21:11
L19	0	"710"/\$ and (transmitter sensor) near6 (attribute parameter setting value status) near6 table near6 (output action response) and (network ethernet packet) and (@ad<"20030626" @rlad<"20030626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 21:10
L20	0	"700"/\$ and (transmitter sensor) near6 (attribute parameter setting value status) near6 (input entry) near6 table near6 (output action response) and (network ethernet packet) and (@ad<"20030626" @rlad<"20030626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 21:21
L21	0	"702"/\$ and (transmitter sensor) near6 (attribute parameter setting value status) near6 (input entry) near6 table near6 (output action response) and (network ethernet packet) and (@ad<"20030626" @rlad<"20030626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 21:21
L22	0	"706"/\$ and (transmitter sensor) near6 (attribute parameter setting value status) near6 (input entry) near6 table near6 (output action response) and (network ethernet packet) and (@ad<"20030626" @rlad<"20030626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 21:21
L23	0	"707"/\$ and (transmitter sensor) near6 (attribute parameter setting value status) near6 (input entry) near6 table near6 (output action response) and (network ethernet packet) and (@ad<"20030626" @rlad<"20030626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 21:21

## EAST Search History

L24	0	"709"/\$ and (transmitter sensor) near6 (attribute parameter setting value status) near6 (input entry) near6 table near6 (output action response) and (network ethernet packet) and (@ad<"20030626" @rlad<"20030626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 21:21
L25	0	"710"/\$ and (transmitter sensor) near6 (attribute parameter setting value status) near6 (input entry) near6 table near6 (output action response) and (network ethernet packet) and (@ad<"20030626" @rlad<"20030626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 21:22
L26	0	"340"/\$ and (transmitter sensor) near6 (attribute parameter setting value status) near6 (input entry) near6 table near6 (output action response) and (network ethernet packet) and (@ad<"20030626" @rlad<"20030626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 21:21
L27	11	(transmitter sensor) near6 (attribute parameter setting value status) near6 (input entry) near6 table near6 (output action response) and (network ethernet packet) and (@ad<"20030626" @rlad<"20030626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 21:22